


MADE IN ITALY 



artés

Net Protection Systems





An aerial photograph of a vast agricultural facility, likely a nursery or seedling production site. The foreground and middle ground are filled with long, parallel rows of plant beds covered in dark, protective plastic mulch. Some areas show young green plants emerging from the beds. In the background, a dense, green forested hill rises, with a small building visible on its slope. The text 'Protecting your orchard since 1966' is overlaid in yellow on the right side of the image.

'Protecting
your
orchard
since 1966

'Our work
environment
has been designed to
meet your requirements.

A quality environment in which everyone contributes in designing, producing, controlling and shipping only high quality products, made in Italy following the EU standards.

You ask, we customize.





'Since 1966:
a lifetime of
experience at
your service

After more than 50 years of experience, Artes Politecnica is known worldwide for its quality and care in the making of hail nets, shade nets, insect nets, water-reduction nets and others.


With a production unit of more than 10,000 sqm of indoor space located in Schio (Vicenza), Artes has been developing and expanding more and more in the last few years. Artes staff follows carefully the whole process of the production of the nets: from the extrusion of the monofilament to the warpage, to the weaving on the loom and the customization in its own tailoring department, to the storing of the rolls in a covered warehouse and the final loading on the truck.

Thanks to its commitment in constantly and rapidly supplying its customers with assistance and suggestions, Artes Politecnica has become a valid reference point in the horti-/floriculture and the agriculture sector, always providing customized solutions to meet every customer's need.


'Our strong points

Versatile and innovative, Artes products are the result of a cutting edge technology that ensures better results.

We use only 100% virgin HDPE polyethylene of European origin




We totally customize each product with a team of skilled tailors



We also provide a full range of high-quality PA accessories



We continuously and scrupulously control the quality of our nets



We produce by ourselves a special blend of UV-stabilized high tenacity monofilament

'Our mission is to supply you with the best products only, thanks to:



Continuous technological improvement



Versatility of our product



Excellent competences of our technicians



Choice of the best raw material of EU origin



Quality warranty 100% made in Italy



Non-toxic material, in compliance with EU rules on food contact materials.



Suitable for organic crops and bio cultivation



SINCERT

The ISO 9001/UNI EN 9001:2015 certification is an additional proof of Artes effort in offering products of Guaranteed and Certified Quality in its whole productive process.



Contents

page

Hail Nets

| | |
|----------------|-------|
| Hail nets | 10 |
| Technical data | 12-13 |
| Accessories | 14 |
| Zip system | 15 |

Insect Nets

| | |
|----------------|-------|
| Insect nets | 16 |
| Technical data | 18-20 |

Shade Nets

| | |
|----------------|-------|
| Shade nets | 22 |
| Technical data | 24-25 |
| Customisation | 25 |
| Accessories | 25 |

Special Nets

| | |
|----------------|----|
| Special nets | 26 |
| Acqua stop net | 28 |
| Accessories | 28 |

'Hail Nets

protection from



Hail



Frost



Birds



Sunburns


Hail is one of the most damaging weather contingencies for agriculture. It can destroy entire cultivations, causing losses in the production leading to several years of negative consequences.

Since 1966 Artes aim is to safeguard the growth of the crops by developing and producing a product of always improving quality. Artes anti-hail net protects not only fruits and vegetables from hail and frost, but also entire trees and plants, guaranteeing a safe growth of the crops.

Artes anti-hail nets are available in color black, crystal, grey, white and Total Grey® in a wide range of widths, which may be produced directly on the looms or sewn by Artes skilled tailors.

All products are provided with a long-term warranty and can be customized according to the customers' requirements.






HAIL NET 7x3

| | | | | |
|------------------------|--|----------------------|--------------|--------------|
| Colors | Black | Grey (Black/Crystal) | Crystal | White |
| Weaving system | Leno weave | Leno weave | Leno weave | Leno weave |
| Shading | 18% | 14% | 8% | 10% |
| Mesh size | 3,00x7,00 mm | 3,00x7,00 mm | 3,00x7,00 mm | 3,00x7,00 mm |
| Weight | 48 g/sqm | 48 g/sqm | 48 g/sqm | 48 g/sqm |
| Standard widths | 0,50 – 0,80 – 1,00 – 1,10 – 1,25 – 1,50 – 1,80 – 2,00 – 2,50 – 2,75 X 1000 m in length | | | |


*Other widths can be reached by means of cut and/or sewing



HAIL NET TYPE AUSTRIA

| | | | | |
|------------------------|---|----------------------|--------------|--------------|
| Colors | Black | Grey (Black/Crystal) | Crystal | White |
| Weaving system | Leno weave | Leno weave | Leno weave | Leno weave |
| Shading | 18% | 14% | 10% | 10% |
| Mesh size | 2,80x8,50 mm | 2,80x8,50 mm | 2,80x8,50 mm | 2,80x8,50 mm |
| Weight | 48 g/sqm | 48 g/sqm | 48 g/sqm | 48 g/sqm |
| Standard widths | 3,00 – 3,10 – 3,25 – 3,40 – 3,50 – 3,60 – 3,70 – 3,80 – 3,90 – 4,00 – 4,10 – 4,25 – 4,45 – 4,50 – 4,60 – 4,80 – 5,00 – 5,20 – 5,30 – 6,00 (on request) X 1000 m in length | | | |

*Other widths can be reached by means of cut and/or sewing




VINEYARD NET

| | | | |
|------------------------|--------------|--------------|--------------|
| Colors | 4x4 White | 4x4 Clear | 5x4 White |
| Weaving system | Leno weave | Leno weave | Leno weave |
| Shading | 22% | 16% | 25% |
| Mesh size | 5,50x2,50 mm | 5,50x2,50 mm | 5,50x2,50 mm |
| Weight | 55 g/sqm | 55 g/sqm | 70 g/sqm |
| Standard widths | On request | | |

*Other widths can be reached by means of cut and/or sewing

Document issued only for your information, it is not a contract or warranty for the customer. Deviation on the values +/- 5% according to Uniplast norms.

For more information, please, visit our web-page www.artespolitecnica.it



POWER NET®

Reinforces net with better hail distribution


| Colors | Black | Grey (Black/Crystal) | Crystal | White |
|-----------------|--------------|----------------------|--------------|--------------|
| Weaving system | Leno weave | Leno weave | Leno weave | Leno weave |
| Shading | 18% | 14% | 8% | 10% |
| Mesh size | 2,80x8,50 mm | 2,80x8,50 mm | 2,80x8,50 mm | 2,80x8,50 mm |
| Weight | 49 g/sqm | 49 g/sqm | 49 g/sqm | 49 g/sqm |
| Standard widths | On request | | | |

*Other widths can be reached by means of cut and/or sewing

TOTAL GREY®

Best for coloured varieties. Excellent light distribution combined with the sunburn protection.


| Colors | Total Grey |
|-----------------|--|
| Weaving system | Leno weave |
| Shading | 12% |
| Mesh size | 3,00x7,00 mm / 2,80x8,50 mm |
| Weight | 52 g/sqm |
| Standard widths | See "hail net 7x3" and "Hail net type Austria" |




*Other widths can be reached by means of cut and/or sewing



'Accessories



Clips for the top wire



Clips for net junction



Clips for net tensioning



Clips for winter wrapping



Clips for winter wrapping



Rapid snap hooks



Iron pole caps



Concrete pole caps



Wooden pole caps



Wooden pole caps



Clamps



Iron rings diam 85/90 mm



Tighteners for anchors



Ropes and wire



Tie tube



Elastic rope diam. 8mm



Plastic needle for sewing



Concrete poles

'Zip system



Patented System by CMG



Besides its own range of accessories, Artes can also supply their customers with the innovative Zip System

Hail nets are now more reliable and faster to install. In this innovative system the zip is sewn directly on the net, thus allowing a quick opening and closing of the netting. It takes only 20-25 min/ha to open and close the nets.

Check out CMG website for further information:

www.cmg-ideenfabrik.com



'Insect Nets

protection from



Drosophila
Suzukii



Marmorated
Stink Bug



Aphids




Carpocapsa

Artes anti-insect nets were created to protect entire cultivations in greenhouses and open field from damaging pests bearing viruses and damaging the crops (e.g. cherry fruit fly - Drosophila Suzuki, Carpocapsa, whitefly, cabbage fly, Asian palm weevil..).

These nets are highly recommended for organic crops. In fact, they allow to limit the use of chemical fertilizers, thus the product will grow more naturally.

Among Artes products, the anti-insect net is the one that requires the most innovation, research and effective solutions, due to the fast evolution of these parasites. The company invests much resource in the development of anti-insect nets, making them always safer and with always higher quality standards. This allowed Artes to reach and maintain excellent levels of competitiveness.






STOP DROSOPHILA NORMAL

| | | |
|-----------------|---|--------------|
| Colors | Black | White |
| Shading | 45% | 30% |
| Mesh size | 1,00x1,40 mm | 1,00x1,40 mm |
| Weight | 96 g/sqm | 96 g/sqm |
| Standard widths | 0,50-1,00-1,50-2,00-2,50-3,00-3,50-5,00 X 300 m in length | |


*Other widths can be reached by means of cut and/or sewing



STOP DROSOPHILA SUPER

| | | |
|-----------------|---|--------------|
| Colors | Black | White |
| Shading | 65% | 50% |
| Mesh size | 0,65x1,40 mm | 0,65x1,40 mm |
| Weight | 150 g/sqm | 150 g/sqm |
| Standard widths | 0,50-0,80-1,00-1,50-2,00-2,50-3,00-3,50 X 300 m in length | |

*Other widths can be reached by means of cut and/or sewing



ALT CARPO NET

| | | |
|-----------------|----------------|--------------|
| Colors | 4x4 Black | 4x4 White |
| Shading | 23% | 22% |
| Mesh size | 5,50x2,50 mm | 5,50x2,50 mm |
| Weight | 55 g/sqm | 55 g/sqm |
| Standard widths | 4,00-4,50-5,00 | |

*Other widths can be reached by means of cut and/or sewing

Document issued only for your information, it is not a contract or warranty for the customer. Deviation on the values +/- 5% according to Uniplast norms.

For more information, please, visit our web-page www.artespolitecnica.it




Document issued only for your information, it is not a contract or warranty for the customer. Deviation on the values +/- 5% according to Uniplast norms.

ANTI-APHIDS 20/10

| | |
|-----------------|--|
| Colors | White |
| Shading | 20% |
| Mesh size | 0,25x0,75 mm |
| Weight | 140 g/sqm |
| Standard widths | 1,00-1,50-2,00-2,50-3,00-4,00-5,00 X 100 m in length |


*Other widths can be reached by means of cut and/or sewing



ANTI-APHIDS 20/12

| | |
|-----------------|--|
| Colors | White |
| Shading | 22% |
| Mesh size | 0,25x0,55 mm |
| Weight | 150 g/sqm |
| Standard widths | 1,00-1,50-2,00-2,50-3,00-4,00-5,00 X 100 m in length |

*Other widths can be reached by means of cut and/or sewing





'Shade Nets

protection from



Sun



Wind



Sand



Heat

Seen the continuous climate and season changes, shade nets are more and more necessary in order to protect the cultivations.


They come in different colors and densities in order to suit every type of crop and installation.

The shade nets also contribute to anticipate or to postpone the ripening/ blossoming of the crops and to guarantee a uniform solar spreading.

Shade nets 90% and 90% diagonal nets are widely used also for animal husbandry and car roofing, and also in the non-professional sector to create privacy zones.

They can be fully customized by Artes skilled tailor department.






SHADE NET 30%

| Colors | Black | Green/Black | White |
|-----------------|----------------------------------|--------------|--------------|
| Shading | 28% | 25% | 23% |
| Mesh size | 1,40x1,40 mm | 1,40x1,40 mm | 1,40x1,40 mm |
| Weight | 80 g/sqm | 80 g/sqm | 80 g/sqm |
| Standard widths | 2,00-2,50-3,00 X 300 m in length | | |


*Altre misure possono essere realizzate mediante taglio e/o cucitura



SHADE NET 50%

| Colore | Black | Green/Black | White |
|-----------------|---|--------------|--------------|
| Ombreggio | 45% | 40% | 30% |
| Maglia | 1,00x1,40 mm | 1,00x1,40 mm | 1,00x1,40 mm |
| Peso | 96 g/sqm | 96 g/sqm | 96 g/sqm |
| Misure standard | 0,50-1,00-1,50-2,00-2,50-3,00-3,50-5,00 X 300 m in length | | |

*Altre misure possono essere realizzate mediante taglio e/o cucitura




SHADE NET 75%

| Colore | Black | Green/Black | White |
|-----------------|---|--------------|--------------|
| Ombreggio | 65% | 60% | 50% |
| Maglia | 0,65x1,40 mm | 0,65x1,40 mm | 0,65x1,40 mm |
| Peso | 150 g/sqm | 150 g/sqm | 150 g/sqm |
| Misure standard | 0,50-0,80-1,00-1,50-2,00-2,50-3,00-3,50 X 300 m in length | | |

*Altre misure possono essere realizzate mediante taglio e/o cucitura

Document issued only for your information, it is not a contract or warranty for the customer. Deviation on the values +/- 5% according to Uniplast norms.


For more information, please, visit our web-page www.artespolitecnica.it



SHADE NET 90% CAMPING

| | | | | |
|-----------------|---|-----------|-----------|-----------|
| Colors | Black | Green | Grey | Blue |
| Shading | 90% | 80% | 75% | 80% |
| Weight | 190 g/sqm | 190 g/sqm | 190 g/sqm | 190 g/sqm |
| Standard widths | 1,50-2,00-2,50-3,00-3,50-4,00 X 300 m in length | | | |

*Other widths can be reached by means of cut and/or sewing




SHADE NET 90% DIAGONAL


| | | | | |
|-----------------|---|-----------|-----------|-----------|
| Colors | Black | Green | Grey | Blue |
| Shading | 95% | 85% | 79% | 84% |
| Weight | 240 g/sqm | 240 g/sqm | 240 g/sqm | 240 g/sqm |
| Standard widths | 1,50-2,00-2,50-3,00-3,50-4,00 X 300 m in length | | | |

*Other widths can be reached by means of cut and/or sewing

'Customisations



Eyelets and Polyester Band



Net with sewn string



Hose / Buttonhole / Cuff



Fanjet-tube shape for greenhouses ventilation

'Accessories



Dotto



Two-point clips



Two-point clips with hook



Tress diam. 3-4-6 mm

Document issued only for your information, it is not a contract or warranty for the customer. Deviation on the values +/- 5% according to Uniplast norms.

For more information, please, visit our web-page www.artespolitecnica.it

'Special Nets

protection from



Birds



Frost



Weed



Cracking

Besides hail, shade and anti-insect nets, Artes offers a great range of other products, such as silage bags, fanjet tubes for air ventilation, ground cover nets, nets for snail farming, water reduction nets, as well as other nets.

This also underlines Artes aim to help their customers not only in the agricultural field, but also in other sectors, always providing the right solution for each and every need.

Photo on the right side

1. Ground cover net
2. Snail farming net
3. Knitted bird net
4. Non-woven fleece
5. Anti-Cracking Film
6. Anti-frost net



'Acqua Stop Net


The necessity to protect the cultivations more susceptible to cracking, like cherries, plums and wild berries, brought Artes to research and develop a more effective and complete double protection system which grants an almost complete water permeability.

Unlike the plastic film, Artes acqua-stop net protects from wind, rain, frost, sun rays, temperature leaps and insects, such as *Drosophila Suzukii*, *Cochineal* and *Aphids*.


ACQUA STOP NET

| | |
|------------------------|----------------------------------|
| Colors | White |
| Shading | 22% |
| Mesh size | 0,03x0,94 mm |
| Weight | 250 g/sqm |
| Standard widths | 2,00-2,50-3,00 X 200 m in length |

*Other widths can be reached by means of cut and/or sewing



'Accessories



Clip Morsa 50/70 with hook



Clip Morsa 50 with hook and chain



Elastic rope diam. 8mm




Rapid snap hooks



Clips for net tensioning



Concrete pole caps



Elastic rope "Spider"

Document issued only for your information, it is not a contract or warranty for the customer. Deviation on the values +/- 5% according to Uniplast norms.

For more information, please, visit our web-page www.artespolitecnica.it









Artes Politecnica, srl
Via Lago Maggiore, 10/12
36015 Schio (VI) Italia
Tel. +39 0445 576298
info@artespolitecnica.it
export@artespolitecnica.it
www.artespolitecnica.it